Defining metadata

Definition

Definining metadata are metadata that enables interpretation of the meaning of data to provide information.

Purpose

The purpose of defining metadata is to enable consistent interpretation of data and thereby provide information. Which comes first, the data or the metadata? In principle, the defining metadata is created in the data design phase as specification of the implementation and is maintained as reference source for users of the data.

Life cycle

Phase	Activity
Plan	 Compose defining metadata Establish defining metadata
Do	• Use defining metadata
Check	• Evaluate defining metadata
Act	• Revise defining metadata

Characteristics

Characteristic	Requirement
Accuracy of defining metadata	Defining metadata should be accurate enough.
Completeness of defining metadata	Defining metadata should be complete.
Unambiguity of defining metadata	Defining metadata must not be open to misinterpretation
Clarity of defining metadata	Defining metadata should be legible and understandable

Relations

Definining metadata	is subtype of	metadata
Definining metadata	has as input	data quality requirements
Definining metadata	has as input	data quality policy
Definining metadata	is output of	design processen
Definining metadata	is input to	Data quality objectives
Definining metadata	is input to	Data quality policy
Definining metadata	is input to	Data quality rules
Definining metadata	is input to	Data quality monitoring
Definining metadata	is input to	data issues
Definining metadata	is input to	awareness of data quality
Definining metadata	is input to	data cleansing
Defining metadata	are a basis for determining	data quality rules.

Defining metadata	provide standards for			data quality monitoring	
Defining metadata	provide criteria when resolving			data issues	
Defining metadata	creates			awareness of data quality	
Defining metadata	provide a	basis for the selectior	ר of <mark>כ</mark>	ritical	data elements
Defining metadata	provide cr	iteria to be applied in	d	lata cl	eansing
Definining metadata		Definining metadata	is inp	put to	
Definining metadata	is input to				
Definining metadata	is input to				
Definining metadata					

- Data quality policy and Requirements provide principles and policies for the creation and management of defining metadata.
- Design processes provide methodologies for the creation and management of defining metadata.

Data quality objectives can include requirements for availability and application of Defining Metadata.




Figure 2 Inputs to and Outputs from Defining Metadata

An architecture of defining metadata

Figure 3 shows the three levels of defining metadata, conceptual, logical, and technical with the main forms of metadata at each level and their relationships. The diagram also indicates the roles that are primarily engaged with the metadata at each level.




Figure 3 An architecture of defining metadata

Some forms of defining metadata

Data models

The goal of semantic modelling is the creation of a common understanding of the meaning of things, thereby helping people understand each other and done in such a way that the meaning is explicit and accurate and is understood by humans and interpretable by computer systems.

Although the terminology varies from one methodology to another, the elements to be found in most semantic modelling languages are: entities, relations, classes, attributes, terms, and axioms.

Examples of data element specifications

Identifier:	DE001		
Name:	Code of a customer as DUNS Number		
Definition	Code identifying a customer according to the Data Universal Numbering System (DUNS) of Dun & Bradstreet.		
Data type:	Numeric		
Format:	Fixed length 9		
Value dom	ain: DUNS code numbers issued by Dun & Bradstreet https://www.dnb.com https://www.altares.nl		
Identifier:	DE002		
Name:	oaded weight of a shipping container		
Definition	The weight of a shipping container including its contents according to a weight unit of measure.		

Data type:	Real	l number		
Format:	Vari	Variable length maximum eight digits with two decimal positions		
Note:	This	his data element type requires an associated code of a weight unit of measure.		
Identifier:		DE003		
Name:		Code of a unit of measure UN/ECE Rec. 20		
Definition		Code identifying a unit of measure according to UN/ECE Recommendation 20		
Data type:		Alphanumeric		
Format:		Variable length maximum three characters		
Value domain:		Code of a unit of measure according to Recommendation No. 20 Codes For Units Of Measure Used In International Trade published by United Nations Economic Commission For Europe (UN/ECE) https://unece.org/trade/uncefact/cl-recommendations		

Such data element types are registered and maintained in a data dictionary. They are related to data models as specifications of the implementation of attributes of entities.

The names and definitions of data element types are used in user interfaces and example values may be registered in the data dictionary for use as prompts in electronic forms that are filled manually.

Example DE001 would be part of customer master data. It might be the primary identifier of a customer record or may be a secondary identifier used in credit check processes or as a means of building the hierarchy of related corporate organisations.

Example DE002 would be used during the trajectory of a shipment, for example when placing an order for shipment of a container, in the loading plan of containers in a vessel and in declarations to authorities.

Story

For some time issues and arguments had been rumbling on about who was responsible for recurring errors and delays in shipments to customers. And Finance and Accounting were increasingly concerned about accounts receivable problems that were attributable to errors in invoicing.

Eventually it became clear to some executives that poor master data quality was causing operational problems. But how should this be fixed? Who was responsible for master data?

A series of workshops involving key managers were organised, facilitated by a Data Management guru. At first the discussions about data were confused. Manufacturing and supply chain management had differing views and terminology about materials and products. Marketing, sales and administration had differences about channels, contracts, prospects and customers.

However, after a few cycles the guru had a series of posters telling a story about the company's data that everyone agreed on. They were surprised when he explained the posters showed conceptual data models of the primary entities of importance to the business and the beginnings of a business glossary. And that these formed the foundation for a Data Governance framework that would lead to effective rollout of Master Data Management within six months.

References

Alexopoulos, P. (2020). *Semantic modeling for data: Avoiding pitfalls and breaking dilemmas.* O'Reilly Media.

DAMA (2017). DAMA-DMBOK. *Data Management Body of Knowledge*. 2nd Edition. Technics Publications LLC. August 2017.

DAMA NL (2020). Data concepts for Data Quality Dimensions (DSC). Research paper. https://www.dama-nl.org/wp-content/uploads/2020/09/DCS-Data-Concept-System-DDQ-Research-Pape r-version-1.2-d.d.-3-Sept-2020.pdf

DAMA Dictionary of Data Management. 2nd Edition 2011. Technics Publications, LLC, New Jersey.

Dingemans, Bert (2022). Een repository voor Meta Data Management. External Link.

ISO 11179:1999 Information technology — Specification and standardization of data elements

ISO 9000:2015. Quality Management Systems - Requirements.

ISO 9001:2015. Quality Management Systems - Fundamentals and vocabulary.

Harris, J. & Hoberman, S. (2020). *Data modeling made simple with Erwin DM.* Technics Publications LLC, New Jersey.

From: https://datamanagement.wiki/ - Data Management Wiki

Permanent link: https://datamanagement.wiki/data_concept/defining_metadata?rev=1687785705



Last update: 2024/03/08 13:33