

# Data quality risk analysis

## Definition

A data quality risk analysis is an [analysis](#) with regards to [data quality](#).

## Note

Objective of a DQMS is that the data quality requirements are met. A risk analysis shows which situations or events could lead to these objectives not being met and which measures should be taken to reduce the risk to an acceptable level.

## Purpose

Purpose of a risk analysis is to determine actions that prevent [data issues](#).

## Life cycle

Phase	Activity
Plan	* Plan risk analysis
Do	* Compose a risk analysis * Use the risk analysis
Check	* Review/Evaluate risk analysis * Audit risk analysis
Act	* Update risk analysis

## Relations

- Risk analysis is an element of the [DQMS](#).
- Risk analysis is aimed at meeting [data quality requirements](#).
- Risk analysis prevents [data issues](#).
- Risk analysis is assessed during a [internal audit](#).
- Risk analysis is discussed in [management review](#).

## Method

A risk analysis consists of the next elements:

1. Asset that has effect on the objectives, e.g., supplier, input file, producer, applications, infrastructure, communication, procedures, metadata, etc.
2. Situation with regard to the asset that can cause an event
3. Event that can take place that has a negative effect on the objectives
4. Measures already taken to prevent or correct the situation or event
5. Exposure: frequency that the situation can occur

6. Probability: chance that the event will take place
7. Severity: gravity of the effect on the objectives
8. Risk-index: Exposure x Likelihood x Severity
9. Additional measures needed to decrease the risk-index if the risk index is too high (preventive actions).

The Fine and Kinney method shows which values should be assigned to exposure, probability and severity.

### **Exposure (E)**

The factor exposure indicates the duration that a risk can occur. The scale varies from 0.5 to 10.

- 0,5 Very rarely (less than once a year)
- 1 Rarely (yearly)
- 2 Sometimes (monthly)
- 3 Occasionally (weekly)
- 6 Frequently (daily)
- 10 Constantly (multiple times a day)

### **Probability (P)**

The probability or (mathematical) chance an incident will occur. The expectation is represented by ascribing a value from 0.1 to 10.

- 0,1 Next to impossible / unthinkable
- 0,2 Almost unimaginable
- 0,5 Highly unlikely, but conceivable
- 1 Unlikely, but possible in the long term
- 3 Unusual (but possible)
- 6 Possible
- 10 To be expected

### **Severity (S)**

The factor severity indicates the possible damage, effects and consequences linked to a hazard. The scale reaches from 1 to 40.

- 1 Slight effect
- 3 Important effect
- 7 Severe effect
- 15 Very severe effect
- 40 Disaster

### **Risk-index (R)**

The result of multiplying the parameters defines the risk-index:  $R = S \times E \times P$ .

### Classification Risk-index

- $R = 21$  Slight risk; acceptable
- $21 < R = 71$  Little risk; attention required
- $71 < R = 201$  Moderate risk; apply simple measures
- $20 < R = 401$  High risk; apply large measures immediately
- $R > 401$  Risk is too high; stop activities / operations

### Example

Objective: Timely reporting to an external party.

Asset	Situation	Event	Measures taken	Exposure	Probability	Severity	Risk-index	Additional measures
Data supplier	Unreliable	Delayed delivery	SLA	3	6	7	126	Meet supplier monthly
Application	Unavailable	Delayed processing	Incident procedure	3	0,5	1	1,5	None

### Reference

Euronorm. [Fine and Kinney Method](#).

From:  
<https://datamanagement.wiki/> - **Data Management Wiki**

Permanent link:  
[https://datamanagement.wiki/data\\_quality\\_management\\_system/data\\_quality\\_risk\\_analysis?rev=1677963361](https://datamanagement.wiki/data_quality_management_system/data_quality_risk_analysis?rev=1677963361)

Last update: **2024/03/08 13:33**